




HIROISHI CORPORATION

: 300

(50.000 2/ )

© , 2009 .


Phone: +81-476-36-8631, +81-80-6946-8911, +81-80-6920-8911, E-mail: mskexport@gmail.com, Website: www.ohi-s.ru



: ( , ) FC1  
 : 300 -104,27 2  
 : 10 - 81,95 2  
 : 80% -186,22 2  
 : 300  
 : (50.000 2/ )

| /   | (JPY)      | - | (JPY)       | (EUR)       |
|-----|------------|---|-------------|-------------|
| A   | 27.979.500 | 1 | 27.979.500  | € 223.836   |
| B1  | 6.440.000  | 1 | 6.440.000   | € 51.520    |
| B2  | 4.600.000  | 1 | 4.600.000   | € 36.800    |
| C   | 51.750.000 | 1 | 51.750.000  | € 414.000   |
| D   | 19.550.000 | 1 | 19.550.000  | € 156.400   |
| E   | 6.900.000  | 1 | 6.900.000   | € 55.200    |
| F   | 14.950.000 | 1 | 14.950.000  | € 119.600   |
| G   | 30.000.001 | 1 | 30.000.000  | € 240.000   |
| J   | 13.800.000 | 1 | 13.800.000  | € 110.400   |
| K   | 13.340.000 | 1 | 13.340.000  | € 106.720   |
| .   |            |   | 8.050.000   | € 64.400    |
| FOB |            |   | 184.019.500 | € 1.472.156 |





1

2

3

4

5

6

A


B

C

D


E

F



| No. | Equipment                           |
|-----|-------------------------------------|
| A   | Moulder                             |
| B1  | Cross cut Saw                       |
| B2  | Cross cut Saw                       |
| C   | Side Boring Machine                 |
| D   | Side Milling Machine                |
| E   | End Boring Machine                  |
| F   | End Milling Machine                 |
| G   | Angle Cutting Equipment             |
| J   | Running Saw                         |
| K1  | Free Roller Conveyor                |
| K2  | Free Roller Conveyor                |
| K3  | Free Roller Conveyor                |
| K4  | Free Roller Conveyor                |
| K5  | Free Wheel Conveyor with Turn-table |
| I   | Assembling Table                    |
| L1  | Dust Collector                      |
| L2  | Air Compressor                      |
| L3  | Distribution Board                  |

| Item Number | Remarks                   | DESCRIPTION              |           |  |
|-------------|---------------------------|--------------------------|-----------|--|
| I.L1.L2.L3  | Equipments made in Russia | Forum Construction Plant |           |  |
|             |                           | SCALE                    | DATE      |  |
|             |                           | 1/300                    | June 2009 |  |



:  
 ,  
 ,  
 ( )  
 , .  
 300  
 10  
 3000  
 80%  
 2400  
 FC1  
 186.22  
 300  
 55.866

A.

6- 15 m/min

B.

B1.

A  
80 sec/ /

|             |  | - /    | ( )    |         |       |
|-------------|--|--------|--------|---------|-------|
| FB/EP/IP/RP |  | 60,000 | 1333.3 | C,D,E,F | 55.6% |
|             |  |        |        |         |       |

B2.

B

20 sec/ (2 )

|            |  | - /     | ( )    |   |       |
|------------|--|---------|--------|---|-------|
| FJ/EHP/IHP |  | 198,000 | 1100.0 |   | 45.8% |
| RFT/RFB    |  | 30,300  | 168.3  | G | 7.0%  |
|            |  |         | 1268.3 |   | 52.8% |

C.

4

300 sec/

(4 / )

|             |  | - /    | ( )    |       |       |
|-------------|--|--------|--------|-------|-------|
| FB/EP/IP/RP |  | 25,500 | 2125.0 | D,E,F | 88.5% |
|             |  |        |        |       |       |
|             |  |        |        |       |       |

D.

240 sec/ (4 / )

|    |  | - /    | ( )   |   |       |
|----|--|--------|-------|---|-------|
| FB |  | 11,400 | 760.0 | F | 31.7% |
|    |  |        |       |   |       |

E.

120 sec/ ( )

|          |  |        |       |  |       |
|----------|--|--------|-------|--|-------|
|          |  | - /    | ( )   |  |       |
| EP/IP/RP |  | 27,000 | 900.0 |  | 37.5% |
|          |  |        |       |  |       |
|          |  |        |       |  |       |
|          |  |        |       |  |       |

F.

180 sec/ ( )

|    |  |        |        |  |       |
|----|--|--------|--------|--|-------|
|    |  | - /    | ( )    |  |       |
| FB |  | 33,000 | 1650.0 |  | 68.8% |
|    |  |        |        |  |       |

G.

60 sec/

|         |  |        |       |  |       |
|---------|--|--------|-------|--|-------|
|         |  | - /    | ( )   |  |       |
| RFT/RFB |  | 30,300 | 505.0 |  | 21.0% |
|         |  |        |       |  |       |

H.

6-

5 m/min

|        |       | - /    | ( )   |   |      |
|--------|-------|--------|-------|---|------|
| 38x140 | 2,400 | 21,600 | 72.0  | B | 3.0% |
| 30x105 | 6,300 | 24,000 | 80.0  | B | 3.3% |
|        |       |        |       |   |      |
|        |       |        | 152.0 |   | 6.3% |

I.

300 sec/ ( )

|     |        | - /   | ( )   |  |      |
|-----|--------|-------|-------|--|------|
| RFT | 76x100 | 1,200 | 100.0 |  | 4.2% |
|     |        |       |       |  |      |

J.

90 sec/

180 sec/

|  |  | - /    | ( )    |  |       |
|--|--|--------|--------|--|-------|
|  |  | 26,400 | 660.0  |  | 27.5% |
|  |  | 21,000 | 1050.0 |  | 43.8% |
|  |  |        |        |  |       |
|  |  |        | 1710.0 |  | 71.3% |



